



Notes: add or subtract 2" to frame length dimensions for each 2" increase/decrease in spacing between panels
as visual spacing increases, use 10" splice as needed

General Notes: always hang grouping frame from lower frame member.
hanging point spacing along frame not to exceed 4'-0"

X = panel hook locations during installation
● = recommended hanging point location

Frame Lengths:

- ① 6'-4"
- ② 8'-4"

These drawings show typical conditions in which the Armstrong product depicted is installed. They are not a substitute for an architect's or engineer's plan and do not reflect the unique requirements of local building codes, laws, statutes, ordinances, rules and regulations (Legal Requirements) that may be applicable for a particular installation.

Armstrong does not warrant, and assumes no liability for the accuracy or completeness of the drawings for a particular installation or their fitness for a particular purpose. The user is advised to consult with a duly licensed architect or engineer in the particular locale of the installation to assure compliance with all Legal Requirements.

Armstrong is not licensed to provide professional architecture or engineering design services.

PROJECT NAME: **SOUNDSCAPES SHAPES**
4 PANEL RECTANGULAR GROUP LAYOUT

DWG. NO. 5440-8	PATH:	REV: .	DATE: .
DATE: 6/19/08	SCALE: 1/4"=1'-0"	DESC.: (2) 5440 (2) 5448	
DRAWN BY: MSS	CHK BY:	.	



CEILING SYSTEMS * ARMSTRONG WORLD INDUSTRIES, INC. * Lancaster, PA * Phone: 877-ARMSTRONG